

H Profile

Structural H profile

Grades:


AISI 304/304L, 316/316L

Random lengths L=20' - 25' (4/7m)

Otherwise as request.

General tolerances according to ASTM A 484/A 484M

Further grades and dimension available on request



N° PRE	DIMENSION (inch)						Siderval Profile N°
	A	B	C	D	E	F	
778	1,181	0,984	0,906	0,157	0,138	0,138	00501
7128	1,575	1,969	1,063	0,315	0,197	0,315	03866
7144	2,126	1,969	2,323	0,394	0,591	0,591	03969
6567	2,205	2,756	3,543	0,709	0,709	0,630	03586
11586	2,362	2,362	5,756	0,236	0,236	0,236	05669
6262	2,362	4,724	5,827	0,591	0,394	0,394	03446
6263	2,362	5,360	5,551	0,591	0,394	0,394	03447
14247	2,559	1,575	4,374	0,236	0,236	0,236	05583
11294	2,559	1,890	5,906	0,315	1,024	0,354	05201
3094	2,598	1,890	1,181	0,315	0,984	0,433	01123
6711	2,677	2,598	1,299	0,394	0,394	0,984	03653
722	2,717	2,559	1,496	0,787	0,669	0,551	00471
2322	2,756	1,575	1,969	0,394	0,394	0,394	01187
2999	2,795	1,969	1,437	0,394	0,827	0,531	01096
15253	2,953	2,953	2,323	0,197	0,315	0,315	05789
4623	3,150	1,811	3,543	0,150	0,205	0,205	02115
3108	3,150	1,811	5,756	0,197	0,205	0,205	01129
7197	3,150	3,150	5,827	0,236	0,315	0,315	03893
11587	3,150	3,150	5,551	0,236	0,236	0,236	05670
9027	3,228	1,260	4,374	0,236	0,433	0,433	04455
5726	3,346	4,724	5,906	0,512	0,512	0,512	03050
2351	3,583	2,165	2,323	0,472	1,378	0,630	00886
3883	3,622	2,756	3,543	0,531	1,260	0,650	01538
5641	3,740	3,937	5,756	0,787	0,787	0,787	02980
8425	3,780	3,937	5,827	0,197	0,315	0,315	04520
5685	3,819	2,362	5,551	1,024	1,024	1,024	03017
7058	3,858	2,343	4,374	0,394	0,551	0,394	03855
3080	3,858	2,559	5,906	0,354	0,551	0,551	01114
2442	3,898	2,362	2,323	0,315	0,394	0,394	00919
7412	3,937	2,165	3,543	0,161	0,224	0,224	04250
3103	3,937	2,441	5,756	0,551	1,575	0,709	01126
4244	3,937	2,559	5,827	0,394	0,522	0,522	01818
3908	3,937	2,953	5,551	0,630	1,457	0,768	01558

H Profile

Structural H profile

Grades:


AISI 304/304L, 316/316L

Random lengths L=20' - 25' (4/7m)

Otherwise as request.

General tolerances according to ASTM A 484/A 484M

Further grades and dimension available on request



N° PRE	DIMENSION (inch)						Siderval Profile N°
	A	B	C	D	E	F	
3290	3,937	3,937	4,374	0,236	0,394	0,394	01215
5070	3,937	3,937	5,906	0,236	0,315	0,315	02493
11934	3,937	2,362	2,323	0,236	0,748	1,772	05202
7391	3,976	2,362	3,543	0,315	0,413	0,413	03949
11509	4,000	2,750	5,756	0,250	0,250	0,250	04977
3029	4,094	2,402	5,827	1,181	0,472	0,472	01082
3160	4,134	3,150	5,551	0,315	0,630	0,630	01164
86	4,252	2,362	4,374	0,394	0,650	0,650	00186
3095	4,331	2,441	5,906	0,551	1,969	0,709	01124
5562	4,488	4,370	2,323	0,709	0,709	0,709	02909
7105	4,488	4,724	3,543	0,197	0,315	0,315	03856
974	4,528	2,500	5,756	0,394	0,640	0,640	00607
2166	4,567	3,150	5,827	0,433	0,669	0,669	00837
2789	4,646	3,150	5,551	0,433	0,709	0,709	01009
3289	4,724	2,520	4,374	0,276	0,276	0,276	01214
4964	4,724	2,520	5,906	0,295	0,276	0,276	02402
11936	4,724	2,717	2,323	0,354	0,472	0,472	05070
1000	4,724	3,346	3,543	0,197	0,276	0,276	00629
5071	4,724	4,724	5,756	0,256	0,433	0,433	02494
7288	4,724	4,724	5,827	0,354	0,472	0,472	03928
1422	4,862	2,598	5,551	0,394	0,413	0,413	00693
6528	4,921	2,953	4,374	0,591	0,748	0,748	03544
13098	4,921	2,677	5,906	0,709	0,984	1,969	05336
738	4,961	2,323	2,323	0,394	1,004	1,004	00491
2059	5,000	3,346	3,543	0,433	0,827	0,827	00803
6506	5,118	2,756	5,756	0,236	0,394	0,394	03523
4967	5,118	2,953	5,827	0,551	0,787	0,787	02406
5616	5,118	4,724	5,551	0,276	0,472	0,472	02952
5229	5,130	2,756	4,374	0,472	0,787	0,787	02635
7044	5,197	3,937	5,906	1,378	1,969	1,083	03819
5381	5,354	2,362	2,323	0,315	0,591	0,472	02761
956	5,354	3,346	3,543	0,512	0,433	0,433	00706
7851	5,512	2,165	5,756	0,276	0,551	0,394	04169

H Profile

Structural H profile

Grades:


AISI 304/304L, 316/316L

Random lengths L=20' - 25' (4/7m)

Otherwise as request.

General tolerances according to ASTM A 484/A 484M

Further grades and dimension available on request



N° PRE	DIMENSION (inch)						Siderval Profile N°
	A	B	C	D	E	F	
4965	5,512	2,874	5,827	0,354	0,276	0,276	02403
7157	5,512	5,512	5,551	0,276	0,472	0,472	03873
5161	5,512	5,512	4,374	0,354	0,472	0,472	02569
4579	5,748	3,268	5,906	0,472	0,709	0,709	02083
8181	5,827	3,150	2,323	0,472	0,984	0,984	04211
1001	5,906	3,346	3,543	0,197	0,374	0,374	00630
11918	5,906	3,386	5,756	0,472	0,787	0,787	05068
13501	5,992	3,445	5,827	0,343	0,358	0,358	05449
12830	6,000	3,504	5,551	0,228	0,228	0,228	05314
6505	6,031	4,000	4,374	0,232	0,280	0,280	03534
10640	6,201	6,020	5,906	0,374	0,394	0,394	04829
12330	6,280	4,031	2,323	0,260	0,406	0,406	05158
5036	6,299	2,913	3,543	0,248	0,272	0,272	02463
4669	6,299	3,228	5,756	0,394	0,472	0,472	02152
2440	6,378	2,165	5,827	0,236	0,276	0,276	01005
1729	6,378	3,543	5,551	0,236	0,394	0,433	00744
4723	6,500	3,500	4,374	0,750	1,063	1,063	02185
10427	7,087	2,992	5,906	0,472	0,591	0,591	04880
5758	7,106	3,346	5,138	0,551	0,984	0,984	03079
4620	7,500	4,331	5,531	0,591	0,984	0,984	02117