

Profilo H


Profili H strutturali

Certificato di collaudo secondo:
EN 10204/3.1B

Qualità:
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
778	30,0	25,0		4,0	3,5	3,5	00501
7128	40,0	50,0		8,0	5,0	8,0	03866
7144	54,0	50,0	24,0	10,0	15,0	15,0	03969
6567	56,0	70,0	22,0	18,0	18,0	16,0	03586
11586	60,0	60,0	48,0	6,0	6,0	6,0	05669
6262	60,0	120,0	40,0	15,0	10,0	10,0	03446
6263	60,0	136,2	40,0	15,0	10,0	10,0	03447
14247	65,0	40,0	53,0	6,0	6,0	6,0	05583
11294	65,0	48/40	30,0	8,0	26,0	9,0	05201
3094	66,0	48,0	30,0	8,0	25,0	11,0	01123
6711	68,0	66,0	33,0	10,0	10,0	25,0	03653
722	69,0	65,0	38,0	20,0	17,0	14,0	00471
2322	70,0	40,0	50,0	10,0	10,0	10,0	01187
2999	71,0	50,0	36,5	10,0	21,0	13,5	01096
15253	75,0	75,0		5,0	8,0	8,0	05789
4623	80,0	46,0	69,6	3,8	5,2	5,2	02115
3108	80,0	46,0	69,6	5,0	5,2	5,2	01129
7197	80,0	80,0	64,0	6,0	8,0	8,0	03893
11587	80,0	80,0	68,0	6,0	6,0	6,0	05670
9027	82,0	32,0	60,0	6,0	11,0	11,0	04455
5726	85,0	120,0	59,0	13,0	13,0	13,0	03050
2351	91,0	55,0	40,0	12,0	35,0	16,0	00886
3883	92,0	70,0	43,5	13,5	32,0	16,5	01538
5641	95,0	100,0	55,0	20,0	20,0	20,0	02980
8425	96,0	100,0	80,0	5,0	8,0	8,0	04520
5685	97,0	60,0	45,0	26,0	26,0	26,0	03017
7058	98,0	59,5	74,0	10,0	14,0	10,0	03855
3080	98,0	65,0	70,0	9,0	14,0	14,0	01114
2442	99,0	60,0	79,0	8,0	10,0	10,0	00919
7412	100,0	55,0	88,6	4,1	5,7	5,7	04250
3103	100,0	62,0	42,0	14,0	40,0	18,0	01126
4244	100,0	65,0	73,5	10,0	13,3	13,3	01818
3908	100,0	75,0	43,5	16,0	37,0	19,5	01558

Profilo H


Profili H strutturali

Certificato di collaudo secondo:
EN 10204/3.1B

Qualità:
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
3290	100,0	100,0	80,0	6,0	10,0	10,0	01215
5070	100,0	100,0	84,0	6,0	8,0	8,0	02493
11934	100,0	60/70	36,0	6,0	19,0	45,0	05202
7391	101,0	60,0	80,0	8,0	10,5	10,5	03949
11509	101,6	69,9	88,9	6,4	6,4	6,4	04977
3029	104,0	61,0	80,0	30,0	12,0	12,0	01082
3160	105,0	80,0	73,0	8,0	16,0	16,0	01164
86	108,0	60,0	75,0	10,0	16,5	16,5	00186
3095	110,0	62,0	42,0	14,0	50,0	18,0	01124
5562	114,0	111,0	78,0	18,0	18,0	18,0	02909
7105	114,0	120,0	98,0	5,0	8,0	8,0	03856
974	115,0	63,5	82,5	10,0	16,3	16,3	00607
2166	116,0	80,0	82,0	11,0	17,0	17,0	00837
2789	118,0	80,0	82,0	11,0	18,0	18,0	01009
3289	120,0	64,0	106,0	7,0	7,0	7,0	01214
4964	120,0	64,0	106,0	7,5	7,0	7,0	02402
11936	120,0	69,0	96,0	9,0	12,0	12,0	05070
1000	120,0	85,0	106,0	5,0	7,0	7,0	00629
5071	120,0	120,0	98,0	6,5	11,0	11,0	02494
7288	120,0	120,0	96,0	9,0	12,0	12,0	03928
1422	123,5	66,0	102,5	10,0	10,5	10,5	00693
6528	125,0	75,0	87,0	15,0	19,0	19,0	03544
13098	125,0	68/100	50,0	18,0	25,0	50,0	05336
738	126,0	59,0	75,0	10,0	25,5	25,5	00491
2059	127,0	85,0	85,0	11,0	21,0	21,0	00803
6506	130,0	70,0	110,0	6,0	10,0	10,0	03523
4967	130,0	75,0		14,0	20 con	20 con	02406
5616	130,0	120,0	106,0	7,0	12,0	12,0	02952
5229	130,3	70,0	90,3	12,0	20,0	20,0	02635
7044	132,0	100,0	54,5	35,0	50,0	27,5	03819
5381	136,0	60,0	109,0	8,0	15,0	12,0	02761
956	136,0	85,0	104,0	13,0	11 con	11 con	00706
7851	140,0	55,0	116,0	7,0	14,0	10,0	04169

Profilo H


Profili H strutturali

Certificato di collaudo secondo:
EN 10204/3.1B

Qualità:
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
4965	140,0	73,0	126,0	9,0	7,0	7,0	02403
7157	140,0	140,0	116,0	7,0	12,0	12,0	03873
5161	140,0	140,0	116,0	9,0	12,0	12,0	02569
4579	146,0	83,0	110,0	12,0	18,0	18,0	02083
8181	148,0	80,0	98,0	12,0	25,0	25,0	04211
1001	150,0	85,0	131,0	5,0	9,5	9,5	00630
11918	150,0	86,0	110,0	12,0	20,0	20,0	05068
13501	152,2	87,5		8,7	9,1 con	9,1 con	05449
12830	152,4	89,0		5,8	5,8 con	5,8 con	05314
6505	153,2	101,6	139,0	5,9	7,1	7,1	03534
10640	157,5	152,9	137,5	9,5	10,0	10,0	04829
12330	159,5	102,4	138,9	6,6	10,3	10,3	05158
5036	160,0	74,0		6,3	6,9 con	6,9 con	02463
4669	160,0	82,0	136,0	10,0	12,0	12,0	02152
2440	162,0	55,0		6,0	7 con	7 con	01005
1729	162,0	90,0		6,0	10 con	11 con	00744
4723	165,1	88,9		19,1	27 con	27 con	02185
10427	180,0	76,0		12,0	15 con	15 con	04880
5758	180,5	85,0	130,5	14,0	25,0	25,0	03079
4620	190,5	110,0	140,5	15,0	25,0	25,0	02117