


## Profilo L

Profili L strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m



Altre qualità, lunghezze e dimensioni su richiesta

N° PRE	DIMENSIONI (mm)				N° PROFILO
	A	B	C	D	
1648	26,5	26,5	5,0	5,0	00724
11582	30,0	30,0	4,0	4,0	05106
5834	30,0	30,0	6,0	6,0	03144
5835	35,0	35,0	6,0	6,0	03145
4309	35,0	35,0	15,0	22,0	01872
12035	36,0	36,0	4,0	4,0	05085
5021	40,0	20,0	4,0	4,0	02449
5419	40,0	30,0	6,0	14,0	02789
3138	40,0	40,0	5,0	5,0	01147
5843	40,0	40,0	8,0	8,0	03153
3621	42,3	25,3	8,5	8,2	01375
10423	45,0	30,0	4,0	4,0	04787
4769	45,0	30,0	5,0	5,0	02225
5836	45,0	45,0	8,0	8,0	03146
570	47,5	44,5	13,0	13,0	00356
5127	50,0	20,0	5,0	5,0	02536
12043	50,0	25,0	5,0	5,0	05087
2733	50,0	25,0	7,0	4,5	00978
6526	50,0	30,0	4,0	4,0	03543
4644	50,0	30,0	5,0	5,0	02136
4639	50,0	40,0	5,0	5,0	02131
5844	50,0	50,0	6,0	6,0	03154
5169	50,0	50,0	7,0	7,0	02576
11125	50,0	50,0	8,0	8,0	05294
3962	50,0	50,0	9,0	9,0	01598
5837	50,0	50,0	10,0	10,0	03147
5575	53,0	43,0	18,0	16,0	02920
5928	53,0	44,0	10,0	10,0	03227
9105	55,0	40,0	12,0	7,0	04460
5838	55,0	55,0	6,0	6,0	03148
542	56,0	16,6	5,6	5,6	00345
4292	56,5	21,0	8,0	9,0	01857
11361	57,8	28,0	9,5	9,5	05000


## Profilo L

Profili L strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m



Altre qualità, lunghezze e dimensioni su richiesta

N° PRE	DIMENSIONI (mm)				N° PROFILO
	A	B	C	D	
724	58,0	28,0	5,0	5,0	00468
2025	58,2	31,5	8,2	9,0	00794
5128	60,0	20,0	5,0	5,0	02537
5032	60,0	20,0	6,0	6,0	02459
4948	60,0	30,0	7,0	7,0	02386
6077	60,0	38,0	18,0	23,0	03333
6686	60,0	40,0	4,0	4,0	03637
4670	60,0	40,0	5,0	5,0	02153
4194	60,0	40,0	6,0	6,0	01781
3808	60,0	60,0	8,0	8,0	01493
4612	60,0	60,0	10,0	10,0	02108
13126	62,0	41,0	10,0	12,0	05300
3870	63,0	26,0	11,8	11,8	01533
692	63,5	63,5	6,4	6,4	00443
8702	63,5	63,5	19,1	19,1	04346
8313	65,0	19,0	6,0	6,0	04224
601	65,0	22,0	10,0	17,5	00374
5129	65,0	30,0	5,0	5,0	02538
10253	65,0	50,0	6,0	6,0	04760
4218	65,0	50,0	7,0	7,0	01799
4949	65,0	50,0	9,0	9,0	02387
5130	65,0	50,0	11,0	11,0	02539
5131	65,0	50,0	13,0	13,0	02540
5839	65,0	65,0	9,0	9,0	03149
3599	67,0	62,5	22,5	17,0	01365
5132	70,0	30,0	6,0	6,0	02541
5133	70,0	30,0	10,0	10,0	02542
3679	70,0	50,0	6,0	6,0	01418
6713	70,0	65,0	20,0	10,0	03655
4278	70,0	70,0	7,0	7,0	01846
5841	70,0	70,0	11,0	11,0	03151
10520	71,0	40,0	17,0	20,0	04828
9326	72,0	72,0	23,0	23,0	04500


## Profilo L

Profili L strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m



Altre qualità, lunghezze e dimensioni su richiesta

N° PRE	DIMENSIONI (mm)				N° PROFILO
	A	B	C	D	
2788	73,0	37,0	7,0	10,0	01011
5818	74,3	36,5	13,0	18,0	03137
3588	75,0	36,0	15,0	16,0	01508
5784	75,0	50,0	6,0	6,0	03103
8056	75,0	55,0	5,0	5,0	04147
3680	75,0	55,0	9,0	9,0	01419
649	75,0	60,0	15,0	15,0	00418
5842	75,0	75,0	9,0	9,0	03152
6206	76,2	50,8	9,5	9,5	03430
12495	76,2	76,2	9,5	9,5	05186
6084	80,0	22,0	11,0	8,0	03342
6039	80,0	35,0	16,0	20,0	03305
6327	80,0	40,0	4,0	4,0	03484
5738	80,0	40,0	5,0	5,0	03060
3677	80,0	40,0	6,0	6,0	01416
3291	80,0	40,0	8,0	8,0	01216
10980	80,0	40,0	10,0	10,0	04946
5134	80,0	50,0	6,0	6,0	02543
2699	80,0	50,0	7,0	7,0	00970
11511	80,0	50,0	8,0	8,0	04983
5135	80,0	50,0	10,0	10,0	02544
4607	80,0	65,0	6,0	6,0	02103
4950	80,0	65,0	8,0	8,0	02388
4951	80,0	65,0	10,0	10,0	02389
2091	80,0	80,0	8,0	8,0	00812
5845	80,0	80,0	10,0	10,0	03155
5846	80,0	80,0	12,0	12,0	03156
7703	80,2	80,2	7,2	7,2	04058
5401	82,5	31,5	17,4	22,0	02772
10034	82,6	44,5	15,9	25,4	04723
3007	83,0	24,0	8,0	8,0	01071
3598	83,0	83,0	23,0	32,6	01364
973	84,0	36,7	7,0	6,8	00605


## Profilo L

Profili L strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m



Altre qualità, lunghezze e dimensioni su richiesta

N° PRE	DIMENSIONI (mm)				N° PROFILO
	A	B	C	D	
643	85,0	42,0	14,0	9,0	00415
2161	85,0	50,0	8,0	18,0	00855
12766	85,0	75,0	20,0	40,0	05240
6193	88,9	63,5	15,9	15,9	03413
12772	88,9	88,9	14,3	14,3	05253
6762	89,5	84,0	35,0	25,0	03696
1332	90,0	25,0	15,0	20,0	00662
985	90,0	46,0	24,0	21,0	00623
4219	90,0	60,0	6,0	6,0	01800
4952	90,0	60,0	8,0	8,0	02390
6078	90,0	65,0	25,0	25,0	03334
4953	90,0	75,0	7,0	7,0	02391
4954	90,0	75,0	9,0	9,0	02392
4163	90,0	90,0	7,0	7,0	01753
5847	90,0	90,0	11,0	11,0	03157
5314	90,0	90,0	27,0	15,0	02706
10018	93,0	93,0	25,0	25,0	04708
5605	95,0	80,0	30,0	40,0	02943
718	96,0	40,0	10,0	10,0	00465
5660	99,0	42,0	20,0	22,0	02997
5136	100,0	30,0	8,0	8,0	02545
5137	100,0	30,0	11,0	11,0	02546
12940	100,0	40,0	11,0	15,0	05275
6328	100,0	50,0	4,0	4,0	03485
4946	100,0	50,0	5,0	5,0	02384
3906	100,0	50,0	6,0	6,0	01555
3459	100,0	50,0	8,0	8,0	01296
4848	100,0	50,0	10,0	10,0	02295
6907	100,0	50,0	10,0	15,0	03777
6924	100,0	55,0	10,0	6,0	03788
4332	100,0	65,0	7,0	7,0	01894
4923	100,0	65,0	8,0	8,0	02360
4220	100,0	65,0	9,0	9,0	01801


## Profilo L

Profili L strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m



Altre qualità, lunghezze e dimensioni su richiesta

N° PRE	DIMENSIONI (mm)				N° PROFILO
	A	B	C	D	
4197	100,0	65,0	10,0	10,0	01784
4955	100,0	65,0	11,0	11,0	02393
10252	100,0	75,0	6,0	6,0	04759
4966	100,0	75,0	8,0	8,0	02404
11999	100,0	80,0	7,0	7,0	05077
5207	100,0	100,0	6,0	6,0	02614
5848	100,0	100,0	8,0	8,0	03158
6080	100,0	100,0	15,0	15,0	03336
4596	101,5	101,5	11,0	11,0	02093
6148	101,6	76,2	6,4	6,4	03386
6207	101,6	76,2	9,5	9,5	03552
10341	101,6	76,2	12,7	12,7	04774
12771	101,6	101,6	14,3	14,3	05252
2163	103,5	35,0	12,0	12,0	00832
5104	106,0	56,0	18,0	18,0	02526
5243	110,0	22,0	16,0	22,0	02644
4611	110,0	110,0	10,0	10,0	02107
5851	110,0	110,0	12,0	12,0	03161
6500	113,0	79,0	12,0	22,5	03521
8321	120,0	32,0	10,0	12,0	04257
707	120,0	40,0	8,0	8,0	00461
4900	120,0	55,0	10,0	10,0	02343
12027	120,0	58,0	10,0	10,0	05083
6099	120,0	60,0	19,0	25,0	03349
567	120,0	80,0	8,0	8,0	00363
1563	120,0	80,0	10,0	10,0	01755
4608	120,0	80,0	12,0	12,0	02104
6755	120,0	120,0	15,0	15,0	03688
6208	127,0	76,2	6,4	6,4	03798
6209	127,0	76,2	9,5	9,5	03517
7991	127,0	104,2	14,6	14,6	04149
5162	127,0	127,0	9,4	9,4	02570
10930	130,0	32,0	18,0	11,0	04885


## Profilo L

Profili L strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1:4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m



Altre qualità, lunghezze e dimensioni su richiesta

N° PRE	DIMENSIONI (mm)				N° PROFILO
	A	B	C	D	
4671	130,0	65,0	8,0	8,0	02154
4956	130,0	75,0	10,0	10,0	02394
5901	130,0	90,0	12,0	12,0	03202
5853	130,0	130,0	16,0	16,0	03163
12026	131,0	56,0	10,0	11,0	05082
498	140,0	25,0	8,0	8,0	00306
8887	140,0	40,0	15,0	15,0	04609
7286	140,0	90,0	12,0	12,0	04998
5854	140,0	140,0	18,0	18,0	03164
8822	150,0	60,0	9,0	9,0	04388
12149	150,0	60,0	14,0	14,0	05122
4985	150,0	75,0	8,0	8,0	02421
4924	150,0	75,0	10,0	10,0	02361
5868	150,0	75,0	12,0	12,0	03177
6511	150,0	90,0	12,0	12,0	03528
5058	150,0	100,0	10,0	10,0	02484
5106	150,0	100,0	12,0	12,0	02528
13081	150,0	150,0	15,0	15,0	05365
8041	152,4	88,9	9,5	9,5	04144
6210	152,4	101,6	6,4	6,4	04096
14644	159,0	130,0	53,5	50,0	05685
3762	160,0	55,0	15,5	15,0	01465
5063	160,0	80,0	10,0	10,0	02486
5064	160,0	80,0	12,0	12,0	02487
489	180,0	30,0	8,0	8,0	00298
8424	198,0	50,0	17,0	35,0	04263
8421	198,0	50,0	23,0	35,0	04262