

## Profilo U

Profili U strutturali


Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:

W.Nr: 1.4301/1:4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
6470	30,0	15,0	22,0	4,5	4,0	4,0	03507
8881	30,0	30,0	22,0	4,0	4,0	4,0	04405
662	30,0	30,0	14,0	16,0	8,0	8,0	00422
4642	30,0	33,0	16,0	5,0	7,0	7,0	02134
5015	36,0	42,0	22,0	14,0	7,0	7,0	02443
2658	38,0	15,0	28,0	5,0	5,0	5,0	00982
2320	38,0	20,0	28,0	5,0	5,0	5,0	00880
6524	40,0	20,0	32,0	4,0	4,0	4,0	03541
4643	40,0	35,0	26,0	5,0	7,0	7,0	02135
8882	40,0	40,0	32,0	4,0	4,0	4,0	04406
3866	45,0	45,0	24,0	13,0	10,5	10,5	01530
3500	48,0	23,0	38,0	5,0	5,0	5,0	01317
4599	50,0	25,0	38,0	5,0	6,0	6,0	02097
12042	50,0	25,0	40,0	5,0	5,0	5,0	05086
6464	50,0	25,0	38,0	6,0	6,0	6,0	03496
5635	50,0	25,0	28,0	7,5	11,0	11,0	02972
5366	50,0	30,0	40,0	5,0	5,0	5,0	02750
5138	50,0	30,0	33,0	6,0	8,5	8,5	02547
3681	50,0	38,0	36,0	5,0	7,0	7,0	01420
9512	50,0	40,0	42,0	4,0	4,0	4,0	04513
684	50,0	47,0	36,0	8,0	7,0	7,0	00441
8853	50,0	50,0	42,0	4,0	4,0	4,0	04401
7018	50,0	50,0	40,0	5,0	5,0	5,0	03817
11886	52,0	25,0	40,0	6,0	6,0	6,0	05078
10393	54,0	25,4	35,0	9,5	9,5	9,5	04796
727	55,0	35,0	33,0	11,0	11,0	11,0	00486
640	55,0	52,0	39,0	9,0	8,0	8,0	00407
6535	60,0	30,0	52,0	4,0	4,0	4,0	03550
4499	60,0	30,0	50,0	5,0	5,0	5,0	02022
605	60,0	40,0	29,0	14,0	14,0	17,0	00395
10487	60,0	40,0	40,0	15,0	10,0	10,0	04803
6685	60,0	60,0	48,0	6,0	6,0	6,0	03636
5623	60,0	74,0	40,0	10,0	10,0	10,0	02957

## Profilo U


Profili U strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
113	61,0	52,5	47,8	6,6	6,6	6,6	00205
1981	63,0	20,0	47,0	10,5	8,0	8,0	01019
5657	63,0	30,0	40,0	8,0	10,0	13,0	02993
3682	65,0	42,0	50,0	5,5	7,5	7,5	01421
685	65,0	62,0	47,0	10,0	9,0	9,0	00442
5719	74,0	50,0	54,0	10,0	10,0	10,0	03043
942	75,0	42,0	51,0	10,0	12,0	12,0	00604
12423	75,0	60,0	67,0	4,0	4,0	4,0	05205
13540	76,8	96,8/101,6	60,2	8,3	8,3	8,3	05413
919	78,0	48,0	37,5	17,0	20,3	20,3	00603
349	79,0	49,0	36,5	18,0	21,3	21,3	00255
5329	80,0	30,0	48,0	16,0	16,0	16,0	02721
5052	80,0	40,0	72,0	4,0	4,0	4,0	02481
4330	80,0	40,0	70,0	5,0	5,0	5,0	01892
4331	80,0	40,0	68,0	6,0	6,0	6,0	01893
5142	80,0	40,0	63,0	6,0	8,5	8,5	02551
5739	80,0	40,0	64,0	8,0	8,0	8,0	03061
8680	80,0	44,0	58,0	20,0	11,0	11,0	04342
3292	80,0	45,0	64,0	6,0	8,0	8,0	01217
4468	80,0	45,0	63,0	6,0	8,5	8,5	02001
4873	80,0	45,0	68,0	6,0	6,0	6,0	02318
5636	80,0	45,0	68,0	8,0	6,0	6,0	02973
5728	80,0	50,0	70,0	5,0	5,0	5,0	03052
7132	80,0	50,0	40,0	20,0	20,0	20,0	03869
202	84,0	46,0	66,0	9,0	9,0	9,0	00224
12662	85,0	64,5	65,6	39,5	9,7	9,7	05278
3555	85,0	85,0	71,0	9,0	7,0	7,0	01352
3150	86,0	59,0	70,0	8,0	8,0	8,0	01155
26	86,5	36,0	62,5	7,0	12,0	12,0	00204
2310	87,0	17,0	67,0	5,0	10,0	10,0	00924
3024	88,9	16,9	64,7	6,7	12,1	12,1	01078
890	89,0	80,0	75,0	10,0	10,0	10,0	00589
4809	90,0	60,0	62,7	16,0	12,0	15,3	02261

## Profilo U


Profili U strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
6677	90,5	38,0	71,0	8,0	9,8	9,8	03614
6744	91,0	38,0	71,0	8,0	10,0	10,0	03678
710	92,0	55,0	72,0	10,0	10,0	10,0	00510
4813	93,0	41,0	68,0	12,5	12,5	12,5	02264
5642	95,0	60,0	55,0	20,0	20,0	20,0	02981
4981	98,0	55,0	42,0	18,0	35,5	20,5	02416
3149	99,0	59,0	83,0	8,0	8,0	8,0	01154
5143	100,0	40,0	88,0	6,0	6,0	6,0	02552
14565	100,0	40,0	87,8	8,0	6,1	6,1	05650
3083	100,0	42,0	72,2	10,0	13,9	13,9	01115
3468	100,0	42,0	60,0	27,0	20,0	20,0	01302
14447	100,0	45,0	64,0	6,0	18,0	18,0	05673
10671	100,0	48,0	84,0	5,3	8,0	8,0	05364
217	100,0	48,0	67,0	11,5	16,5	16,5	00227
5053	100,0	50,0	92,0	4,0	4,0	4,0	02482
4957	100,0	50,0	90,0	5,0	5,0	5,0	02395
4600	100,0	50,0	83,0	5,5	8,5	8,5	02098
1226	100,0	50,0	73,0	6,0	13,5	13,5	00650
3458	100,0	50,0	83,0	6,0	8,5	8,5	01295
4333	100,0	50,0	88,0	6,0	6,0	6,0	01895
5740	100,0	50,0	84,0	8,0	8,0	8,0	03062
13003	100,0	50,0	80,0	10,0	10,0	10,0	05283
962	100,0	50,0	70,0	15,0	15,0	15,0	00689
8299	100,0	50,0	70,0	15,0	15,0	15,0	4230
9681	100,0	54,0	80,0	10,0	10,0	10,0	04951
3467	100,0	62,0	60,0	17,0	20,0	20,0	01301
7298	100,0	65,0	84,0	8,0	8,0	8,0	03932
7272	100,0	90,0	70,0	20,0	15,0	15,0	03920
8233	100,0	130,0	64,0	38,0	18,0	18,0	05419
5232	101,0	59,0	57,0	21,0	22,0	22,0	02647
2202	101,0	60,0	77,0	12,0	12,0	12,0	00870
7617	101,6	44,5	88,9	6,4	6,4	6,4	04023
9203	101,6	50,8	87,3	7,1	7,1	7,1	04480

## Profilo U

Profili U strutturali


Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:

W.Nr: 1.4301/1:4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
14097	101,6	69,6	56,8	22,4	22,4	22,4	05546
13539	101,6	70,8/65,8	85,0	8,3	8,3	8,3	05412
5277	102,0	80,0	88,0	8,0	8 con	6 con	02770
227	103,2	40,0	70,8	7,7	16,2	16,2	00257
8688	106,6	40,1		4,6	10,5 con	15,5 con	04354
711	109,0	57,0	93,0	8,0	8,0	8,0	00511
216	110,0	48,0	67,0	12,5	21,5	21,5	00226
10409	110,0	50,0		8,5	13,5 con	13,5 con	05033
11173	110,0	50,0	83,0	8,5	13,5	13,5	04938
14575	110,0	65/70	63,7	22,0	26,3	20,0	05813
3689	114,0	54,0	66,0	17,0	22,0	26,0	01424
14574	114,0	80/62	74,0	8,0	20,0	20,0	05812
822	114,3	46,8	76,4	9,5	19,0	19,0	00529
9857	114,3	48,5	74,3	5,0	20,0	20,0	04688
9856	114,3	108,5	74,3	25,0	20,0	20,0	04687
3028	115,0	37,0	82,5	10,0	16,3	16,3	01081
36	115,0	45,0	76,0	10,0	19,5	19,5	00138
817	116,0	43,5	80,0	10,0	18,0	18,0	00523
3683	120,0	55,0	102,0	7,0	9,0	9,0	01422
9469	120,0	60,0	104,0	5,0	8,0	8,0	05460
4217	120,0	60,0	108,0	6,0	6,0	6,0	01798
9886	120,0	70,0	80,0	20,0	20,0	20,0	04676
11460	120,0	79,0	80,0	25,0	20,0	20,0	05096
6008	120,0	121,0	90,0	20,0	15,0	15,0	03290
668	120,2	40,0	80,2	10,0	20,0	20,0	00426
621	120,2	45,0	90,2	10,0	15,0	15,0	00405
5194	121,0	60,5	101,0	10,0	10,0	10,0	02600
39	124,9	41,0	78,7	10,8	23,1	23,1	00263
678	125,0	42,0	95,0	10,0	15,0	15,0	00433
11494	125,0	50,0	105,0	10,0	10,0	10,0	04990
2237	126,0	63,0	92,0	17,0	17,0	17,0	00849
2403	126,0	63,0	88,0	19,0	19,0	19,0	00904
6278	127,0	63,5	114,3	6,4	6,4	6,4	03468

## Profilo U


Profili U strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
2203	127,0	65,0	103,0	12,0	12,0	12,0	00871
2506	130,0	50,0	110,0	10,0	10,0	10,0	00933
4958	130,0	65,0	118,0	6,0	6,0	6,0	02396
12212	130,0	65,0	114,0	6,0	8,0	8,0	05103
10602	133,0	30,0	103,0	15,0	15,0	15,0	04826
15142	134,0	53,0	92,0	11,7	21,0	21,0	05756
37	135,4	48,0	88,8	10,5	23,3	23,3	00156
1566	135,4	52,1	90,8	12,7	22,3	22,3	00714
22	135,4	53,0	89,4	12,7	23,0	23,0	00148
7878	138,0	120,0	114,0	8,0	12,0	12,0	04116
265	140,0	45,0	120,0	7,0	10,0	10,0	00272
369	140,0	52,0	104,0	15,0	18,0	18,0	00260
4926	140,0	60,0	120,0	7,0	10,0	10,0	02364
7938	140,0	60,0	120,0	7,0	10,0	10,0	04131
5720	140,0	60,0	116,0	9,0	12,0	12,0	03044
7438	140,0	60,0	115,0	10,0	10,0	15,0	03981
5065	140,0	70,0	126,0	7,0	7,0	7,0	02488
12631	140,0	130,0	96,0	45,0	22,0	22,0	05226
5792	142,0	47,5	110,0	12,0	16,0	16,0	03085
3703	142,0	48,0	110,0	12,0	16,0	16,0	01433
4578	146,0	55,0	110,0	15,0	18,0	18,0	02082
963	146,0	70,0	110,0	18,0	18,0	18,0	00690
562	146,3	55,0	110,3	15,0	18,0	18,0	00450
2677	147,0	47,0	115,0	12,0	16,0	16,0	00988
2077	148,0	45,5	100,0	14,0	24,0	24,0	00805
11135	150,0	50,0	136,0	7,0	7,0	7,0	04906
414	150,0	60,0	120,0	5,5	15,0	15,0	00279
9682	150,0	65,0	130,0	6,0	10,0	10,0	04922
5729	150,0	65,0	134,0	8,0	8,0	8,0	03053
4706	150,0	65,0	130,0	10,0	10,0	10,0	02178
11134	150,0	70,0	130,0	10,0	10,0	10,0	04905
5066	150,0	75,0	138,0	6,0	6,0	6,0	02489
5067	150,0	75,0	132,0	9,0	9,0	9,0	02490

## Profilo U


Profili U strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
13228	150,0	90,0	134,0	6,0	8,0	8,0	05342
2204	153,0	70,0	129,0	12,0	12,0	12,0	00872
953	156,0	48,0	104,0	12,0	26,0	26,0	00707
24	157,2	61,2	108,4	14,0	24,4	24,4	00146
5568	158,0	123,0	130,0	14,0	14,0	14,0	02914
7184	158,0	124,0	126,0	8,5	16,0	16,0	03897
8823	160,0	60,0	139,0	7,5	10,5	10,5	04387
11340	160,0	65,0	140,0	6,0	10,0	10,0	04952
5068	160,0	65,0	139,0	7,5	10,5	10,5	02491
3616	160,0	70,0	140,0	10,0	10,0	10,0	01371
5069	160,0	80,0	148,0	6,0	6,0	6,0	02492
4943	160,0	80,0	144,0	8,0	8,0	8,0	02380
4741	160,0	80,0	100,0	30,0	30,0	30,0	02202
3520	162,0	49,5	126,0	12,5	18,0	18,0	01334
5677	166,0	50,0	126,0	11,0	20,0	20,0	03004
12460	166,0	54,0	138,0	8,0	14,0	14,0	05273
7090	168,0	58,0	140,0	10,5	14,0	14,0	03844
3435	168,0	103,0	134,0	19,0	19 con	15 con	01289
436	170,0	65,0	134,0	6,0	18,0	18,0	00297
9870	170,0	80,0	100,0	30,0	35,0	35,0	04716
4315	171,0	31,0	146,7	7,9	14,3	10,0	01879
9459	173,0	80,0	115,0	35,0	29,0	29,0	05246
12458	174,0	58,0	146,0	8,0	14,0	14,0	05272
5820	175,0	63,5	143,0	10,5	16,0	16,0	03140
177	175,0	66,2	123,8	16,2	25,6	25,6	00319
11750	177,8	101,6	139,7	19,1	19,1	19,1	05031
4311	178,0	67,0	145,0	14,5	16,5	16,5	01875
3111	179,5	49,0	129,5	13,0	25 con	25 con	01131
3600	180,0	45,0	150,0	12,0	15,0	15,0	01366
11919	180,0	52,0	140,0	15,0	20,0	20,0	05069
12533	180,0	70,0	156,0	12,0	12,0	12,0	05204
9854	180,0	135,5		22,0	15 con	15 con	04879
2910	183,0	73,0	147,0	18,0	18,0	18,0	01201

## Profilo U


Profili U strutturali

Certificato di collaudo secondo:  
EN 10204/3.1B

Qualità:  
W.Nr: 1.4301/1.4306/1.4404/1.4571/1.4541  
AISI 304/304L/316/316Ti/321

Lunghezza barre 4/7m

Altre qualità, lunghezze e dimensioni su richiesta



N° PRE	DIMENSIONI (mm)						N° PROFILO
	A	B	C	D	E	F	
4161	184,0	63,0	130,0	33,0	29,5	24,5	01758
4773	184,0	71,0	147,0	14,5	18,5	18,5	02229
3821	185,0	66,0	147,0	9,0	19,0	19,0	01506
7677	185,0	85,0	115,0	35,0	35,0	35,0	04129
7688	187,0	65,0	124,0	15,0	31,5	31,5	04061
4500	189,0	89,0	151,0	16,0	19,0	19,0	02023
964	192,0	90,0	156,0	18,0	18,0	18,0	00691
510	200,0	65,0	140,0	15,0	30,0	30,0	00323
161	201,5	71,2		19,4	25,7 con	25,7 con	00209
7089	201,5	76,0	150,1	19,4	25,7	25,7	03883
4439	203,0	89,0		12,0	15,5 con	15,5 con	01972